

# SAFETY DATA SHEET

According to regulations (CE) No. 1907/2006 and 2015/830



Revision date : 14/11/2016

Version 16.3

## SECTION 1. Identification of the substance/mixture and of the company /undertaking

### 1.1 Product identifier

Catalogue N°: **924**

Product name: **Iodide/iodate solution N/50**

REACH registration number: This product is a mixture. REACH Registration Number see section 3.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Reagent for analysis

### 1.3 Details of the supplier of the safety data sheet

Company: Laboratoires Dujardin-Salleron 37210 Noizay France Phone +33 (0)2 47 25 58 25  
mail : [info@dujardin-salleron.com](mailto:info@dujardin-salleron.com) - web site : [www.dujardin-salleron.com](http://www.dujardin-salleron.com)

1.4 Emergency telephone number France : INRS : +33 (0)1 45 42 59 59

## SECTION 2. Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (Regulation (CE) N° 1272/2008)

This mixture is not classified as dangerous according to European Union Legislation.

### 2.2 Label elements

#### Labeling (Regulation (CE) N° 1272/2008)

Not a hazardous mixture according to GHS.

### 2.3 Other hazards

None known

## SECTION 3. Composition/informations on ingredients

Chemical nature: Aqueous solution / mixture

3.1 Substance : not applicable

3.2 Mixture :

#### Components not classified as hazardous as a consequence of the substances concentration (Regulation (CE) N° 1272/2008)

Chemical name (Concentration)

Potassium iodide (< 1.7%)

| CAS N°                     | EC N°     | REACH N°            | Classification   |
|----------------------------|-----------|---------------------|--|
| 7681-11-0                  | 231-659-4 | 01-21199661-40-XXXX | Acute toxicity, oral, Cat. 4, H302,<br>Skin irritation, Cat. 2, H315<br>Serious eye irritation, Cat. 2, H319<br>Sensitization, skin, Cat. 1, H317<br>Sensitization, respiratory Cat. 1, H334<br>Specific target organ toxicity, single exposure, Cat 3 :<br>respiratory tract irritation, H335 |
| Potassium iodate (< 0.07%) |           |                     |  |
| CAS N°                     | EC N°     | REACH N°            | Classification   |
| 7758-058-06                | 231-831-9 | -                   | Oxidizing solid, Category 2, H272<br>Skin irritation, Cat. 2, H315<br>Serious eye irritation, Cat. 2, H319<br>Specific target organ toxicity, single exposure, Cat 3 :<br>respiratory tract irritation, H335   |

# SAFETY DATA SHEET

According to regulations (CE) No. 1907/2006 and 2015/830

Catalogue N°: 924

Product name : Iodide/iodate solution N/50

V 16.3



Potassium hydroxide (< 0,02%)

| CAS N°    | EC N°     | REACH N°         | Classification   |
|-----------|-----------|------------------|--|
| 1310-58-3 | 215-181-3 | 01-2119487136-33 | Corrosive to metals, Cat. 1, H290<br>Skin corrosion, Cat. 1A, H314 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4. First aid measures

### 4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing. After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Cough, Shortness of breath.

The following applies to iodides in general: Sensitization possible in predisposed persons.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5. Firefighting measures

### 5.1 Extinguishing media

*Suitable extinguishing media*

Water, carbon dioxide (CO<sub>2</sub>), foam, dry powder.

*Unsuitable extinguishing media*

For this mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors (development of hydriodic acid).

### 5.3 Advice for firefighters

*Special protective equipment for firefighters*

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

*Further information*

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

### 6.2 Environmental precautions

Do not empty into drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material, e.g. Trivorex® (PREVOR) . Dispose of properly.

Clean up affected area.

### 6.4 Other indications

Immediately cleaning up spills.

# SAFETY DATA SHEET

According to regulations (CE) No. 1907/2006 and 2015/830

Catalogue N°: 924

Product name : Iodide/iodate solution N/50

V 16.3



## SECTION 7. Handling and storage

### 7.1 Precautions for safe handling Advice on safe handling

Observe label precautions.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions :

Tightly closed. Protected from light.

Store at +15°C to +25°C.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8. Exposure controls / personal protection

### 8.1 Control parameters

#### Components with occupational exposure limit values

*Potassium hydroxide (1310-58-3)*

| Basis   | Value                            | Threshold limits    | Remarks  |
|---|----------------------------------|---------------------|--|
| Limit value for occupational exposure (VLEP France) | Short Term Exposure limit (STEL) | 2 mg/m <sup>3</sup> | Indicative limit value   |
| <b>Derived No Effect Level (DNEL)</b>               |                                  |                     |  |
| <i>Potassium hydroxide (1310-58-3)</i>              |                                  |                     |  |
| Worker DNEL, long term                              |                                  | Local effects       | inhalation 1 mg/m <sup>3</sup>                                       |
| Consumer DNEL, long term                            |                                  | Local effects       | inhalation 1 mg/m <sup>3</sup>                                       |
| <i>Potassium iodide (7681-11-0)</i>                 |                                  |                     |  |
| Consumer DNEL, long term                            |                                  | Systemic effects    | dermal route 1862 mg/kg (mouse)<br>intravenous route 167 mg/kg (rat) |

### 8.2 Exposure controls

#### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### Individual protection measures

*Hygiene measures :*

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with mixture.

*Eye/face protection*

Safety glasses

*Hand protection*

Wear exclusively gloves special chemistry provided with a CE marking. If gloves must be reused, clean them before removing them and keeping them in a well ventilated place.

full contact:

Glove material: Nitrile rubber  
Glove thickness: 0,11 mm  
Break through time: > 480 min

Splash contact:

Glove material: Nitrile rubber  
Glove thickness: 0,11 mm  
Break through time: > 480 min

# SAFETY DATA SHEET

According to regulations (CE) No. 1907/2006 and 2015/830

Catalogue N°: 924

Product name : Iodide/iodate solution N/50

V 16.3



The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

#### *Other protective equipment*

Carry protective clothing for chemicals appropriate, provided with a CE marking.

#### *Respiratory protection*

Required when vapors/aerosols are generated.

Recommended filter type: P 2.

The company has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not empty into drains.

## **SECTION 9. Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

|   |                                    |
|---|------------------------------------|
| Form                                    | liquid.                            |
| Color                                   | colorless.                         |
| Odor                                    | odorless.                          |
| Odor Threshold                          | No information available.          |
| pH                                      | No information available.          |
| Melting point                           | No information available.          |
| Boiling point                           | No information available.          |
| Flash point                             | No information available.          |
| Evaporation rate                        | No information available.          |
| Flammability (solid, gas)               | not applicable                     |
| Lower explosion limit                   | No information available.          |
| Upper explosion limit                   | No information available.          |
| Vapor pressure                          | No information available.          |
| Relative vapor density                  | No information available.          |
| Relative density                        | ca.1.07 g/cm <sup>3</sup> at 20°C. |
| Water solubility                        | soluble at 20°C.                   |
| Partition coefficient: n- octanol/water | No information available.          |
| Auto-ignition temperature               | No information available.          |
| Decomposition temperature               | No information available.          |
| Viscosity, dynamic                      | No information available.          |
| Explosive properties                    | Not classified as explosive.       |
| Oxidizing properties                    | none                               |

### **9.2 Other data**

|                       |                           |
|-----------------------|---------------------------|
| Bulk density          | No information available. |
| Refraction index      | No information available. |
| Dissociation constant | No information available. |
| Surface tension       | No information available. |
| Henry constant        | No information available. |

## **SECTION 10. Stability and reactivity**

### **10.1 Reactivity**

See below

# SAFETY DATA SHEET

According to regulations (CE) No. 1907/2006 and 2015/830

Catalogue N°: 924

Product name : Iodide/iodate solution N/50

V 16.3



## 10.2 Chemical stability

The product is chemically stable during 6 months under standard ambient conditions (room temperature).

## 10.3 Possibility of hazardous reactions

No information available.

## 10.4 Conditions to avoid

No information available

## 10.5 Incompatible materials

No information available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5.

## SECTION 11. Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

##### *Acute oral toxicity*

Possible irritation of the mucous membranes of the mouth, pharynx, esophagus and gastrointestinal tract.

Effective dose - species - times of exposure

No information available.

##### *Acute inhalation toxicity*

Possible irritation of the respiratory mucous membranes.

Effective dose - species - time of exposure

No information available.

##### *Skin irritation*

Possible cutaneous irritation.

Effective dose - species - time of exposure

No information available.

##### *Eye irritation*

Possible eye irritation.

Effective dose - species - time of exposure

No information available.

##### *Sensitization*

No information available.

##### *Specific target organ toxicity - single exposure*

The product is not being classified as specific toxic for target organ, single exposure.

##### *Specific target organ toxicity - repeated exposure*

The product is not being classified as specific toxic for target organ, repeated exposure.

##### *Germ cell mutagenicity*

No information available.

##### *Carcinogenicity*

No information available.

##### *Reproductive toxicity*

No information available.

##### *Teratogenicity*

No information available.

##### *Aspiration hazards*

No information available.

### 11.2 Further information

Quantitative data on the toxicity of this product are not available.

Other information:

The following applies to iodides in general: sensitization possible with allergic demonstrations in predisposed persons.

Further data :

Other dangerous properties are not excluded, but not very probable in case of appropriate use.

Handle in accordance with good industrial hygiene and safety

#### Components

*Potassium iodide*

# SAFETY DATA SHEET

According to regulations (CE) No. 1907/2006 and 2015/830

Catalogue N°: 924

Product name : Iodide/iodate solution N/50

V 16.3



#### *Acute oral toxicity*

LD50 rat: 2779 mg/kg

#### *Acute dermal toxicity*

absorption

#### *Eye irritation*

Rabbit

Result: slight irritation (HSDB)

#### *Genotoxicity in vitro*

Ames test

Salmonella typhimurium

Result: negative (Lit.)

#### *Specific target organ toxicity – single exposure*

The substance is classified as respiratory tract irritant.

#### *Specific target organ toxicity – repeated exposure*

No information available.

#### *Respiratory or cutaneous sensitization*

A prolonged or repeated exposure can cause allergic reactions in sensitive persons.

### **Potassium iodate**

#### *Acute oral toxicity*

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

#### *Skin irritation*

rabbit

Result : No irritation (OECD Test Guideline 404)

#### *Eye irritation*

rabbit

Result: Severe irritations (OECD Test Guideline 405)

Causes serious eye damage.

#### *Germ cell mutagenicity*

#### *Genotoxicity in vivo*

Mutagenicity (mammal cell test): micronucleus.

Result: negative (Lit.)

#### *Genotoxicity in vitro*

Ames test

Result: negative (Lit.)

#### *Specific target organ toxicity – single exposure*

The substance is classified as respiratory tract irritant.

#### *Specific target organ toxicity – repeated exposure*

No information available.

#### *Other information*

Sensitization possible in predisposed persons.

### **Potassium hydroxide**

#### *Acute oral toxicity*

LD50 rat: 273 mg/kg (RTECS)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

#### *Skin irritation*

rabbit

Result: causes burns. (IUCLID)

#### *Eye irritation*

rabbit

Result: Causes burns. (IUCLID)

#### *Sensitization*

Sensitization test: guinea pig

Result: negative (IUCLID)

#### *Germ cell mutagenicity*

#### *Genotoxicity in vitro*

Ames test

Escherichia coli Result : negative (IUCLID)

## **SECTION 12. Ecological Information**

### **Mixture**

#### **12.1 Ecotoxicity**

Acute (short-term) fish toxicity

LC50 - EC50 - species - exposure time

No information available.

Chronic (long-term) fish toxicity

LC50 - EC50 - species - exposure time

No information available.

# SAFETY DATA SHEET

According to regulations (CE) No. 1907/2006 and 2015/830

Catalogue N°: 924

Product name : Iodide/iodate solution N/50

V 16.3



|   |                           |
|---|---------------------------|
| Acute (short-term) daphnia toxicity<br>LC50 - EC50 - species - exposure time  | No information available. |
| Chronic (long-term) daphnia toxicity<br>LC50 - EC50 - species - exposure time | No information available. |
| Acute (short-term) algae toxicity<br>LC50 - EC50 - species - exposure time    | No information available. |
| Chronic (long-term) algae toxicity<br>LC50 - EC50 - species - exposure time   | No information available. |

**12.2 Persistence and degradability** No information available.

**12.3 Bioaccumulative potential** No information available.

**12.4 Mobility in soil** No information available.

**12.5 Results of PBT and vPvB assessment** No information available.

## 12.6 Other adverse effects

*Additional/ ecological information*

Discharge into the environment must be avoided.

### Components

#### Potassium iodide

*Toxicity to fish*

LC50 Oncorhynchus mykiss (rainbow trout): 8.960 mg/l; 96 h (ECOTOX Database)

*Persistence and degradability*

No information available.

*Bioaccumulative potential*

No information available.

*Mobility in soil*

No information available.

*Results of PBT and vPvB assessment*

No information available.

*Additional/ ecological information*

Discharge into the environment must be avoided.

#### Potassium iodate

*Toxicity to daphnia and other aquatic invertebrates*

NOEC Daphnia magna (Water flea):  $\geq 100$  mg/l ; 48 h (OECD Test Guideline 202)

EC50 Daphnia magna (Water flea):  $> 100$  mg/l ; 48 h (OECD Test Guideline 202)

*Persistence and degradability*

No information available.

*Bioaccumulative potential*

No information available.

*Mobility in soil*

No information available.

*Results of PBT and vPvB assessment*

No information available.

*Additional/ ecological information*

Discharge into the environment must be avoided.

#### Potassium hydroxide

*Toxicity to fish*

LC50 Gambusia affinis (Mosquito fish): 80 mg/l ; 96 h (IUCLID)

*Persistence and degradability*

No information available.

*Bioaccumulative potential*

No information available.

*Mobility in soil*

No information available.

*Results of PBT and vPvB assessment*

No information available.

*Additional/ ecological information*

Do not let the product undiluted or in great quantities penetrate into the groundwater, the waters or the pipes.

## SECTION 13. Disposal considerations

### Waste treatment methods

Waste must be disposed of in accordance with the Directive on waste 2008/98/EC and with local and national regulations. Leave chemicals in original containers. No mixing with other waste. Treat uncleaned containers like the product itself.



# SAFETY DATA SHEET

According to regulations (CE) No. 1907/2006 and 2015/830

Catalogue N°: 924

Product name : Iodide/iodate solution N/50

V 16.3



## SECTION 14. Transport information

### Land transport (ADR / RID)

14.1 - 14.6

The mixture is not subject to regulations for road transport, as a consequence of the substances concentration.

### Air transport (IATA)

14.1 - 14.6

The mixture is not subject to regulations for air transport, as a consequence of the substances concentration.

### Sea transport (IMDG)

14.1 - 14.6

The mixture is not subject to regulations for sea transport, as a consequence of the substances concentration.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

## SECTION 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### UE regulations

Aquatic Class risk (WGK)

WGK1 (slightly hazardous for water).

Occupational restrictions

Take note of Directive 94/33/EC on the protection of young people at work and Directive 92/85/EEC on the safety and health at work of pregnant women

Substances of very high concern (SVHC)

This product does not contain substances of very high concern above the respective regulatory limit (> 0.1% (w/w) Regulation (EC) N° 1907/2006 (REACH), Article 57

### 15.2 Chemical Safety Assessment

No information available.

## SECTION 16. Other informations

### Full text of H-Statements referred to under sections 2 and 3.

|      |  |
|------|--|
| H272 | May intensify fire; oxidizer.  |
| H290 | May be corrosive to metals.  |
| H302 | Harmful if swallowed.  |
| H314 | Causes severe skin burns and eye damage.                                   |
| H315 | Causes skin irritation.  |
| H317 | May cause an allergic skin reaction.                                       |
| H319 | Causes serious eye irritation.   |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation.  |

### Training advice

Provide adequate information, instruction and training for operators.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

*The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.*